



HIGH-PRESSURE WASHERS - COLD WATER

PW-C85

PRESSURE

130÷200

bar

FLOW RATE

600÷1300

l/h

ABSORBED POWER

3÷6,8

kW

EXCLUSIVE CHARACTERISTICS

- ▶ BY-PASS - BYP
- ▶ THERMOSTATIC VALVE - TSV (BY PASS MODELS)
- ▶ DELAYED TOTAL STOP - DTS ("D" MODELS)
- ▶ INTELLIGENT PROPORTIONAL SWITCH OFF - IPSF ("D" MODELS)
- ▶ MICRO LEAKAGE CONTROL - MLC ("D" MODELS)
- ▶ DRY RUNNING PROTECTION - DRP ("D" MODELS)
- ▶ NOZZLE CLOGGED CONTROL - NCC ("D" MODELS)
- ▶ WORKING HOURS COUNTER - WHC ("D" MODELS)
- ▶ FLOODING PREVENTION SYSTEM - FPS ("D" MODELS)



PAINTED STEEL STRUCTURE

MOST FREQUENTLY USE

AUTOMOTIVE



AGRICULTURE



CONSTRUCTION INDUSTRY



MUNICIPALITIES



HEAVY INDUSTRY



INNOVATIONS



G6000™
CERAMIC
TECH GUN



MSCT™
MULTIFUNCTION
SAFETY
CONTROL



IPC
PUMP

SPECS



IPC PLUNGER PUMP WITH BRASS HEAD AND CERAMIC PISTONS



HEAVY-DUTY STRUCTURE, ANTI-COLLISION, STEEL FRAME COVER



MAINTENANCE-FREE ELECTRIC MOTOR, AIR-COOLED AND PROTECTED WITH THERMAL CUTOFF

TECHNICAL DATA



PERFORMANCE

		3 HP PW-C85 1310P4 M IDAF40804 PW-C85 D1310P4 M IDAF40818	6 HP PW-C85 1915P4 T IDAF40808 PW-C85 D1915P4 T IDAF40825	7,5 HP PW-C85 2017P4 T IDAF40809 PW-C85 D2017P4 T IDAF40826	PW-C85 1521P4 T IDAF40813 PW-C85 D1521P4 T IDAF40828
Operating pressure	bar/Mpa	40-130/4-13	40-190/4-19	40-200/4-20	40-150/4-15
Flow rate	l/h	300-600	360-900	360-1000	360-1300
Max inlet water temperature	°C	50	50	50	50
Power supply	Ph-V-Hz/A	1-230-50/14,5	3-400-50/9,9	3-400-50/12,7	3-400-50/12,6
Absorbed power	kW	3	5	6,8	6,7
Motor pole/rpm		4-1400	4-1400	4-1400	4-1400
Remote control		BYP/DTS	BYP/DTS	BYP/DTS	BYP/DTS
Pump/head/pistons		ipc plunger/brass/ceramic	ipc plunger/brass/ceramic	ipc plunger/brass/ceramic	ipc plunger/brass/ceramic
Detergent tank	l	-	-	-	-
Detergent delivery		-	-	-	-
Dimension (LxWxH)	cm	78x59x90	78X59X90	78X59X90	78X59X90
Weight	Kg	47	53	72,4	61

STANDARD EQUIPMENT

CODE: IPPR40025
HANDGRIP G6000



CODE: LCPR40087
EXTENSION P70 INOX
(FOR 1310P4/1915P4/2017P4)



CODE: LCPR40159
EXTENSION P70 INOX 0°
(FOR 1521P4)



CODE: UGLN11196
H.P. NOZZLE 1/4 15035
(FOR 1310P4)



CODE: UGLN49987
H.P. NOZZLE 1/4 15045
(FOR 1915P4/2017P4)



CODE: UGLN49997
H.P. NOZZLE 1/4 15075
(FOR 1521P4)



CODE: TBAP25324
HIGH PRESSURE HOSE
10 m



OPTIONAL ACCESSORIES

CODE: RCIN10810
HOSE COUPLINGS M22



CODE: TBAP23853
DRAIN KIT 10 m
(FOR 1310/1915/2017)



CODE: TBAP24406
DRAIN KIT 20 m
(FOR 1521)



CODE: LCPR29360
MUDGUARD LANCE P90



CODE: LCPR40040
FOAM HEAD KIT



CODE: TBAP40062
FLEXIBLE HOSE 15 m



CODE: TBAP44379
FLEXIBLE HOSE 20 m



CODE: LCPR13557
SANDBLASTER KIT Ø 1,6
(FOR 1915P4/2017P4)



CODE: LCPR14858
SANDBLASTER KIT Ø 1,4-
(FOR 1310P4)



CODE: PRCH40041
SAND BAG 25 Kg



CODE: LCPR93178
TURBO LANCE TTR-16
+M22 Ø1,35
(FOR 1310P4 / 1915)



CODE: LCPR40054
TURBO LANCE TPR255
Ø0,40 (FOR 2017P4)



CODE: LCPR40131
EXTENSION P70 + R.J. 255
Ø0,75 (FOR 1521)



CODE: LCLC49492
LANCE FOR WASHING
FLORS 0,35 (FOR 1310P4)



CODE: LCLC49493
LANCE FOR WASHING
FLORS 0,45 (FOR 1915P4)



CODE: LCLC49494
LANCE FOR WASHING
FLORS 0,45 (FOR 2017P4
/1521P4)



CODE: KTRI40399
HOSE REEL KIT



CODE: KTRI40311
MAINTENANCE KIT 500H
(FOR 1310P4)



CODE: KTRI40317
MAINTENANCE KIT 500H
(FOR 2017P4)



CODE: KTRI40313
MAINTENANCE KIT 500H
(FOR 1915)



CODE: KTRI40436
MAINTENANCE KIT 500H
(FOR 1521)



CODE: KTRI40479
KIT FOR HOT WATER
FEEDING VERSION
(FOR 1310P4/1915P4)



CODE: KTRI40336
KIT FOR HOT WATER
FEEDING VERSION (FOR
2017P4)



CODE: KTRI40323
KIT FOR HOT WATER
FEEDING VERSION (FOR
1521P4)





HIGH-PRESSURE WASHERS - COLD WATER

PW-C85

PRESSURE

200÷350
bar

FLOW RATE

900÷1800
l/h

ABSORBED POWER

8,6÷12,5
kW

EXCLUSIVE CHARACTERISTICS

- ▶ BY-PASS - BYP
- ▶ THERMOSTATIC VALVE - TSV (BY PASS MODELS)
- ▶ DELAYED TOTAL STOP - DTS ("D" MODELS)
- ▶ INTELLIGENT PROPORTIONAL SWITCH OFF - IPSF ("D" MODELS)
- ▶ MICRO LEAKAGE CONTROL - MLC ("D" MODELS)
- ▶ DRY RUNNING PROTECTION - DRP ("D" MODELS)
- ▶ NOZZLE CLOGGED CONTROL - NCC ("D" MODELS)
- ▶ WORKING HOURS COUNTER - WHC ("D" MODELS)
- ▶ FLOODING PREVENTION SYSTEM - FPS ("D" MODELS)



PAINTED STEEL STRUCTURE

MOST FREQUENTLY USE

AUTOMOTIVE



AGRICULTURE



CONSTRUCTION INDUSTRY



MUNICIPALITIES



HEAVY INDUSTRY



INNOVATIONS



G6000™
CERAMIC
TECH GUN



MSCT™
MULTIFUNCTION
SAFETY
CONTROL



IPC
PUMP

SPECS



IPC PLUNGER PUMP WITH
BRASS HEAD AND CERAMIC
PISTONS



HEAVY-DUTY STRUCTURE,
ANTI-COLLISION, STEEL
FRAME COVER



MAINTENANCE-FREE
ELECTRIC MOTOR, AIR-
COOLED AND PROTECTED
WITH THERMAL CUTOUT


















TECHNICAL DATA

		9 HP		15 HP	
BY-PASS MODELS		PW-C85 2021P4 T		PW-C85 2030P4 T	
Code		IDAF40816		IDAF40817	
TOTAL STOP MODELS		PW-C85 D2021P4 T		PW-C85 D2030P4 T	
Code		IDAF40831		IDAF40832	
PERFORMANCE					
Operating pressure	bar/Mpa	40-200/4-20		40-200/4-20	
Flow rate	l/h	390-1300		390-1800	
Max inlet water temperature	°C	50		50	
Power supply	Ph-V-Hz/A	3-400-50/16,7		3-400-50/23	
Absorbed power	kW	8,6		12,5	
Motor pole/rpm		4-1400		4-1400	
Remote control		BYP/DTS		BYP/DTS	
Pump/head/pistons		lpc plunger/brass/ceramic		lpc plunger/brass/ceramic	
Detergent tank	l	-		-	
Detergent delivery		-		-	
Dimension (LxWxH)	cm	78x59x90		78x59x90	
Weight	Kg	73		115	

STANDARD EQUIPMENT

CODE: IPPR40025 HANDGRIP G6000 (NOT FOR 3515) 	CODE: IPIP42787 GRIP RL56 M24 + 3/8 (FOR 3515) 	CODE: LCPR40159 EXTENSION P70 INOX 0° (NOT FOR 3515) 	CODE: LCLC42786 EXTENSION L=105 cm (FOR 3515) 	CODE: UGLN02314 H.P. NOZZLE 1/4 2510 (FOR 2030) 
CODE: UGLN02303 H.P. NOZZLE 1/4 15065 (FOR 2021) 	CODE: UGLN40026 H.P. NOZZLE 1/4 15035 500 BAR (FOR 3515) 	CODE: TBAP25324 H.P. HOSE R1 10 m 5/16" M22 (FOR 2021) 	CODE: TBAP40010 H.P. HOSE R2 10 m 3/8" M22 (FOR 2030) 	CODE: TBAP00029 H.P. HOSE R2 10 m 5/16" 3/8M-M- (FOR 3515) 

OPTIONAL ACCESSORIES

CODE: RCIN10810 HOSE COUPLINGS M22 (NOT FOR 3515) 	CODE: TBAP24406 DRAIN KIT 20 m (NOT FOR 3515) 	CODE: LCPR29360 MUDGUARD LANCE P90 (NOT FOR 3515) 	CODE: LCPR40040 FOAMER HEAD KIT 1 I (NOT FOR 3515) 	CODE: TBAP40062 FLEXIBLE HOSE 15 m (FOR 2021) 
CODE: TBAP44379 FLEXIBLE HOSE 20 m (FOR 2021) 	CODE: LCLC40022 SANDBLASTER KIT P105 cm Ø0,35 (FOR 3515) 	CODE: PRCH40041 SAND BAG 25 Kg 	CODE: LCPR40132 EXTENSION P70 + R.J.255 Ø0,65 (FOR 2021) 	CODE: LCPR40133 EXTENSION P70 + R.J.255 Ø100 (FOR 2030) 
CODE: LCLC47893 EXTENSION 105 cm TURBO Ø035 (FOR 3515) 	CODE: LCLC49494 LANCE FOR WASHING FLORS 0,55 (FOR 2021) 	CODE: KTRI40399 HOSE REEL KIT (FOR 2021) 	CODE: KTRI40400 HOSE REEL KIT (FOR 2030) 	CODE: KTRI40436 MAINTENANCE KIT 500H (FOR 2021) 
CODE: KTRI40441 MAINTENANCE KIT 500H (FOR 2030) 	CODE: KTRI40440 MAINTENANCE KIT 500H (FOR 3515) 	CODE: KTRI40323 KIT FOR HOT WATER FEEDING VERSION (2021P4) 