



SWEEPERS - RIDE ON

# 712 R

MAX PRODUCTIVITY

4500 m<sup>2</sup>/h

MAIN BRUSH PATH

700 mm

VOLTAGE SYSTEM

24 v



BATTERIES AND BATTERY CHARGER NOT INCLUDED

## MOST FREQUENTLY USE

RETAIL



HORECA



CLEANING CONTRACTORS



MUNICIPALITIES



## INNOVATIONS



SOFT  
CLEANING  
SURFACE



DBL™  
DOUBLE  
BATTERY  
LIFE

## SPECS



INTUITIVE CONTROL PANEL



FRONTAL WASTE TRAY



EASY MAINTENANCE

## TECHNICAL DATA

|                                |                   | <b>712 RET</b> | <b>712 RST</b> |
|--------------------------------|-------------------|----------------|----------------|
| Code                           |                   | MSUB00387      | MSUB00393      |
| <b>PERFORMANCE</b>             |                   |                |                |
| Main brush cleaning path width | mm                | 700            | 700            |
| Side brush cleaning path width | mm                | 900            | 900            |
| Max theoretical productivity   | m <sup>2</sup> /h | 4500           | 4500           |
| Voltage                        | V-Ah              | 24             | 24             |
| Installed power                | W /HP             | 730            | 480 W+4 Hp     |
| Hopper capacity                | l                 | 50             | 50             |
| Hopper Discarghe System        | Type/mm           | Low-Manual     | Low-Manual     |
| Filtering surface              | m <sup>2</sup>    | 2,9            | 2,9            |
| Fylter type                    |                   | Panel -paper   | Panel -paper   |
| Max speed                      | km/h              | 5              | 5              |
| Max Climb                      | %                 | 2              | 2              |
| Weight whitout batteries       | kg                | 140            | 173            |
| Dimension (LxWxH)              | mm                | 1180x943x1182  | 1180x943x1182  |

## STANDARD ACCESSORIES

|                | <b>712 RET</b> | <b>712 RST</b> |
|----------------|----------------|----------------|
| <b>BRUSHES</b> |                |                |
| MAIN BRUSH     | SPPV76062      | SPPV76062      |
| SIDE BRUSH     | SPPV76056      | SPPV76056      |
| <b>FILTERS</b> |                |                |
| FILTER         | FTDP85299      | FTDP85299      |

## BATTERIES AND BATTERY CHARGERS

| <b>BATTERIES</b>                        | N° | CHARACTERISTIC  | DIMENSION   | RUNNING TIME | <b>BATTERY CHARGERS</b>   |
|---|----|-----------------|-------------|--------------|---|
| IPC gel battery<br>BAAC00105            | 2  | 12V 105 Ah (C5) | 345x170x285 | 140          | On board high frequency 24V 10 Ah KTRI01580<br>Stand alone high frequency BLS010 - BACA00133  |
| EXIDE gel battery<br>BAAC00024          | 2  | 12V 105 Ah (C5) | 345x170x285 | 140          | On board high frequency 24V 10 Ah KTRI01580<br>Stand alone high frequency BLS010 - BACA00133  |
| Acid tubolar plate battery<br>BAAC00070 | 2  | 12V 118 Ah (C5) | 345x170x285 | 150          | On board high frequency 24V 10 Ah KTRI01580<br>Stand alone high frequency BLS010 - BACA00133<br>Stand alone low frequency 24V 12Ah -BACA00060 |
| Acid flat plate battery<br>BAAC00009    | 2  | 12V 105 Ah (C5) | 345x170x285 | 140          | On board high frequency 24V 10 Ah KTRI01580<br>Stand alone high frequency BLS010 - BACA00133<br>Stand alone low frequency 24V 12Ah -BACA00060 |

RECOMMENDED BATTERIES AND BATTERY CHARGERS